

Sterling Bulkhead - LED

Sterling Bulkhead 3000K Emergency Silver
4054989



PRODUCT OVERVIEW

Product name	Sterling Bulkhead 3000K Emergency Silver
Technology	LED
Housing	Aluminium
Mount	Wall surface mounted
Environment	Exterior Interior
General application	Education, Hospitality, Logistics & Industry, Office
ETIM Class	EC002892
Colour temperature (K)	3000
Electrical protection	Class I
Control gear mounting	Integral
Housing colour	Silver
IP rating	IP55
IK rating	IK09
Product EAN number	5026524549899

DATA TABLE

General data

Product name	Sterling Bulkhead 3000K Emergency Silver
Technology	LED
Housing	Aluminium
Mount	Wall surface mounted
Environment	Exterior Interior
General application	Education, Hospitality, Logistics & Industry, Office
ETIM Class	EC002892

Optical data

Colour temperature (K)	3000
Correlated colour temperature range (K)	3000 - 3000
Adjustable chromaticity	N
Distribution type	Symmetric
Emergency duration (h)	3

Sterling Bulkhead - LED

Sterling Bulkhead 3000K Emergency Silver
4054989

Electrical data

Mains voltage (V)	230V~
Electrical protection	Class I
Control gear mounting	Integral
Transformer required	Yes
Drive current (mA)	350


Physical data

Housing colour	Silver
IP rating	IP55
IK rating	IK09
Diffuser finish	Opal
Diffuser material	PC Polycarbonate
Reflector finish	White
Nominal Product Height (mm)	128
Max. Lamp Diameter (mm) - D	350
Weight (kg)	3.6

Packaging



Single packaging type	Carton
Product EAN number	5026524549899
Packaging single length / height (cm)	36.0
Packaging single width (cm)	36.0
Packaging single depth (cm)	13.5
Units per outer package	1
Packaging outer length / height (cm)	36.0
Packaging outer width (cm)	36.0
Packaging outer depth (cm)	13.5

PHOTOMETRY



Sterling Bulkhead - LED

Sterling Bulkhead 3000K Emergency Silver
4054989



TECHNICAL DRAWINGS

