

Beacon Minor - Flood

Beacon Minor L3 FLD 4K WHT
2056180



Product features

- Beacon Minor L3 FLD 4K WHT



PRODUCT OVERVIEW

Product name	Beacon Minor L3 FLD 4K WHT
Technology	LED
Housing	Aluminium
Mount	Track mounting
Environment	Interior
General application	Hospitality, Museums & Galleries, Retail
ETIM Class	EC001744
E-number FI	4275595
Warranty	5 years
Fixture luminous flux (lm)	623
Luminaire efficacy (lm/W)	47.9
LOR (%)	100
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	83
Beam Angle (°)	25
Total power consumption (W)	13
Electrical protection	Class I
Housing colour	White
IP rating	IP20
IK rating	IK02
Product EAN number	5025768561803

DATA TABLE

General data

Product name	Beacon Minor L3 FLD 4K WHT
Technology	LED
Housing	Aluminium
Mount	Track mounting
Environment	Interior
General application	Hospitality, Museums & Galleries, Retail
ETIM Class	EC001744

Beacon Minor - Flood

Beacon Minor L3 FLD 4K WHT
2056180

E-number FI	4275595
Warranty	5 years

Optical data

Fixture luminous flux (lm)	623
Luminaire efficacy (lm/W)	47.9
LOR (%)	100
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	83
Adjustable chromaticity	N
Rated Luminous Intensity (cd)	2283
Beam Angle (°)	25

Electrical data

Total power consumption (W)	13
Mains voltage (V)	230-240V~
Electrical protection	Class I

Physical data

Housing colour	White
IP rating	IP20
IK rating	IK02
Nominal Product Height (mm)	151
Weight (kg)	0.47

Packaging

Single packaging type	Carton
Product EAN number	5025768561803
Packaging single length / height (cm)	25.0
Packaging single width (cm)	20.0
Packaging single depth (cm)	25.0
DUN14 (outer)	05025768561803
Units per outer package	1
Packaging outer length / height (cm)	25.0
Packaging outer width (cm)	20.0
Packaging outer depth (cm)	25.0

PHOTOMETRY

TECHNICAL DRAWINGS

Beacon Minor - Flood

Beacon Minor L3 FLD 4K WHT
2056180

