

Beacon LED Projector - Framing

Beacon Muse Framing Projector O/B 4000K Three Circuit Track - Black
2055192



Product features

- Beacon Projector offers precision light exactly where it is needed. The Framing Projector has four adjustable arms allowing the beam to be framed to the desired size shape (square/rectangle or irregular 4 sided shapes). High colour rendering CRI 97 typical. IR/UV free light source without heat radiation. LED technology provides an energy efficient solution with reduced maintenance costs.



PRODUCT OVERVIEW

Product name	Beacon Muse Framing Projector O/B 4000K Three Circuit Track - Black
Technology	LED
Housing	Aluminium
Mount	Track mounting
Environment	Interior
General application	Hospitality, Museums & Galleries, Retail
ETIM Class	EC001744
Warranty	5 years
Fixture luminous flux (lm)	-
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	95
Colour Consistency (SDCM)	3
Beam Angle (°)	10
Photobiological Risk Group	RG1
Total power consumption (W)	26
Product Voltage (V)	240
Electrical protection	Class II
Control gear mounting	Integral
Housing colour	Black
IP rating	IP20
IK rating	IK02
Product EAN number	5025768551927
Light source included	INTEGRATED LED

DATA TABLE

General data

Product name	Beacon Muse Framing Projector O/B 4000K Three Circuit Track - Black
--------------	---

Beacon LED Projector - Framing

Beacon Muse Framing Projector O/B 4000K Three Circuit Track - Black
2055192

Technology	LED
Housing	Aluminium
Mount	Track mounting
Environment	Interior
General application	Hospitality, Museums & Galleries, Retail
ETIM Class	EC001744
Warranty	5 years

Optical data

Fixture luminous flux (lm)	-
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	95
Colour Consistency (SDCM)	3
Adjustable chromaticity	N
Beam Angle (°)	10
Distribution type	Adjustable
Photobiological Risk Group	RG1

Electrical data

Total power consumption (W)	26
Mains voltage (V)	230V~
Product Voltage (V)	240
Electrical protection	Class II
Control gear mounting	Integral
Transformer required	Yes
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lifespan L70 B50	50000
------------------	-------

Physical data

Housing colour	Black
IP rating	IP20
IK rating	IK02
Nominal Product Width (mm)	185
Nominal Product Height (mm)	215
Nominal Product Diameter (mm)	80
Weight (kg)	1.365

Packaging

Single packaging type	Carton
Product EAN number	5025768551927
Packaging single length / height (cm)	32.0
Packaging single width (cm)	15.5
Packaging single depth (cm)	13.0
DUN14 (outer)	05025768551927
Units per outer package	1
Packaging outer length / height (cm)	32.0

Beacon LED Projector - Framing

Beacon Muse Framing Projector O/B 4000K Three Circuit Track - Black
2055192

Packaging outer width (cm)	15.5
Packaging outer depth (cm)	13.0

TECHNICAL DRAWINGS

