

## Brio IP65 LED

*BRIO IP55 LED 4k White*  
4054948



### PRODUCT OVERVIEW

Product name	BRIO IP55 LED 4k White
Technology	LED
Housing	Aluminium
Mount	Wall surface mounted
Environment	Exterior Interior
General application	Education, Logistics & Industry, Museums & Galleries, Office
ETIM Class	EC002892
E-number FI	4579237
Colour temperature (K)	4000
Control gear mounting	Integral
Housing colour	White
IP rating	IP55
IK rating	IK10
Product EAN number	5026524549486

### DATA TABLE

#### General data

Product name	BRIO IP55 LED 4k White
Technology	LED
Housing	Aluminium
Mount	Wall surface mounted
Environment	Exterior Interior
General application	Education, Logistics & Industry, Museums & Galleries, Office
ETIM Class	EC002892
E-number FI	4579237

#### Optical data

Colour temperature (K)	4000
Correlated colour temperature range (K)	4000 - 4000
Adjustable chromaticity	N
Distribution type	Symmetric

#### Electrical data

Mains voltage (V)	230V~
-------------------	-------

## Brio IP65 LED

*BRIO IP55 LED 4k White*  
4054948

Control gear mounting	Integral
Transformer required	Yes
Drive current (mA)	350



### Physical data

Housing colour	White
IP rating	IP55
IK rating	IK10
Diffuser finish	Opal
Diffuser material	PC Polycarbonate
Reflector finish	White
Nominal Product Length (mm)	408
Nominal Product Width (mm)	358
Weight (kg)	3.0


### Packaging

Single packaging type	Carton
Product EAN number	5026524549486
Packaging single length / height (cm)	50.0
Packaging single width (cm)	50.0
Packaging single depth (cm)	20.0
Units per outer package	1
Packaging outer length / height (cm)	50.0
Packaging outer width (cm)	50.0
Packaging outer depth (cm)	20.0

## PHOTOMETRY



## Brio IP65 LED BRIO IP55 LED 4k White 4054948



0.5	1.55	E(0°) E(C0)	57.1°	1719 138
1.0	3.09	E(0°) E(C0)	57.1°	430 36
1.5	4.64	E(0°) E(C0)	57.1°	191 16
2.0	6.18	E(0°) E(C0)	57.1°	107 9
2.5	7.73	E(0°) E(C0)	57.1°	89 8
3.0	9.27	E(0°) E(C0)	57.1°	48 4

Distance [m]      Cone diameter [m]      Illuminance [lx]  
C0 - C180 (Half beam angle: 114.2°)

### TECHNICAL DRAWINGS

