



Myriad Square IP65 Silver Reflector - White Bezel

MYRIAD SQUARE IP65 SPOT 3K STD EM SILREF WBEZ
2056345



Product features

- MYRIAD SQUARE IP65 SPOT 3000K STD EMERGENCY 3H SILVER REFLECTOR WHITE BEZEL



PRODUCT OVERVIEW

Product name	MYRIAD SQUARE IP65 SPOT 3K STD EM SILREF WBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Interior
General application	Hospitality, Office, Retail, Residential & Consumer
ETIM Class	EC001744
Warranty	5 years
Fixture luminous flux (lm)	1092
Luminaire efficacy (lm/W)	109
LOR (%)	100
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	85
Beam Angle (°)	25
Luminous flux (emergency) (lm)	347
Total power consumption (W)	12
Electrical protection	Class II
Housing colour	Aluminium
IP rating	IP65/20
IK rating	IK02
Product EAN number	5025768563456

DATA TABLE

General data

Product name	MYRIAD SQUARE IP65 SPOT 3K STD EM SILREF WBEZ
Technology	LED
Housing	Aluminium
Mount	Ceiling recessed mounting
Environment	Interior
General application	Hospitality, Office, Retail, Residential & Consumer

Myriad Square IP65 Silver Reflector - White Bezel

MYRIAD SQUARE IP65 SPOT 3K STD EM SILREF WBEZ
2056345

Performance ambient temperature Tq (°C)	25
ETIM Class	EC001744
Warranty	5 years

Optical data

Fixture luminous flux (lm)	1092
Luminaire efficacy (lm/W)	109
LOR (%)	100
Colour temperature (K)	3000
Light colour	Warm White
CRI (Ra)	85
Adjustable chromaticity	N
Beam Angle (°)	25
Luminous flux (emergency) (lm)	347
Emergency duration (h)	3

Electrical data

Total power consumption (W)	12
Mains voltage (V)	230-240V~
Electrical protection	Class II
Transformer required	Yes
Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E
Nominal Frequency (Hz)	50/60Hz

Lifetime data

Lifespan L70 B50	50000
------------------	-------

Physical data

Housing colour	Aluminium
IP rating	IP65/20
IK rating	IK02
Nominal Product Width (mm)	72
Nominal Product Height (mm)	64
Cutout Dimensions (W x L in mm or Diameter in mm)	72
Weight (kg)	1.39
Recessed Depth (mm)	64

Packaging



Single packaging type	Carton
Product EAN number	5025768563456
Packaging single length / height (cm)	25.0
Packaging single width (cm)	20.0
Packaging single depth (cm)	25.0
DUN14 (outer)	05025768563456
Units per outer package	1
Packaging outer length / height (cm)	25.0

Myriad Square IP65 Silver Reflector - White Bezel

MYRIAD SQUARE IP65 SPOT 3K STD EM SILREF WBEZ
2056345

Packaging outer width (cm)	20.0
Packaging outer depth (cm)	25.0

PHOTOMETRY



TECHNICAL DRAWINGS

