


ToLEDo Deco Ball

Ball IP44 Orange B22
0026895



PRODUCT OVERVIEW

Product name	Ball IP44 Orange B22
Technology	LED
Watt (Rated) (W)	0.5
Lamp shape	Round/globe
Type	ToLEDo Outdoor Ball
Cap/Base	B22
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number SE	8296505
Colour Consistency (SDCM)	6
Wattage (W)	0.5
Average life (Nominal) (h)	25000
Product EAN number	5410288268958

DATA TABLE

General data

Product name	Ball IP44 Orange B22
Technology	LED
Watt (Rated) (W)	0.5
Lamp shape	Round/globe
Type	ToLEDo Outdoor Ball
Cap/Base	B22
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number SE	8296505

ToLEDo Deco Ball

Ball IP44 Orange B22
0026895

Optical data

Colour Consistency (SDCM)	6
Adjustable chromaticity	N
Lumen maintenance at end of nominal life (%)	80

Electrical data

Wattage (W)	0.5
Starting time (max) (s)	0.05
Warm-up time to 60% of full light (max) (s)	< 1s => 60%
Current (A)	0.02
Mains voltage (V)	220-240V~
Lamp power factor	0.15
Control gear required	No
No. Of switching cycles before premature failures	>100000
Transformer required	Yes
Drive current (mA)	20
kWh per 1000 hours burning time	1

Lifetime data

Average life (Nominal) (h)	25000
Average life (Rated) (h)	25000

Physical data

Length base to pin Min-Max (mm) - B	67
Max. Lamp Diameter (mm) - D	45
Weight (kg)	0.019

Packaging

Single packaging type	Carton
Product EAN number	5410288268958
Packaging single length / height (cm)	8.5
Packaging single width (cm)	4.4
Packaging single depth (cm)	4.4
DUN14 (inner)	25410288268952
Units per inner package	10
Packaging inner length / height (cm)	23.0
Packaging inner width (cm)	9.5
Packaging inner depth (cm)	9.8
DUN14 (outer)	15410288268955
Units per outer package	60
Packaging outer length / height (cm)	48.0
Packaging outer width (cm)	31.0
Packaging outer depth (cm)	12.5

Safety data

Breakage cleaning instructions	Not applicable
--------------------------------	----------------

ToLEDo Deco Ball

Ball IP44 Orange B22
0026895

Recommendation for disposal at end of life	Not applicable
Special purpose lamp	Yes
Dry applications use only	No
Suitable for household illumination	Yes