



Minimalism at its best

Pixo Mini

As an addition to the Pixo Track Spot range, the Sylvania Pixo Mini offers a minimalistic spot family, including a sleek pendant fixture. The fixture emits a precise 40° light beam due to the high quality lens that is used. Pixo Mini is available in 2700K, 3000K and 4000K colour temperatures, CRI90, White RAL9016 or Black RAL9005 housing colour. The range offers you tracklight with Global Adaptor GA69, surface mounted, recessed mounted, retractable downlight or pendant versions, you just have to choose what suits you best.

Pixo Mini



Features

- Simple and slick integral design with no driver box and without any visible screws
- Extremely precise 40° light beam due to the high quality lens
- High colour rendering index, CRI90
- High colour consistency, SDCM≤3 LED Source
- Available in 2700K (490lm), 3000K (520lm) and 4000K (560lm) light colour temperatures
- Comes as Track, Surface mounted, Recessed mounted, Retractable downlight or Pendant version
- Track version with universal Global GA69 track adaptor
- Non dimmable
- Available in White RAL9016 or Black RAL9005 housing colour
- Lifespan: 72,000 hours at L70
- Energy Class: A++, A+, A
- 3 years warranty
- IP20 and IK03 rating

Product information

Code	Description	Housing Colour	Total power consumption (W)	Fixture lumen (lm)	Luminaire efficacy lm/W	Correlated Colour Temperature (K)	Nominal Beam Angle (°)	Lifespan (hours)	Nominal Product Height (mm)	Nominal Product Length (mm)	Nominal Product Width (mm)
Pixo Mini - Stocked items											
Tracklight											
0006156	Pixo Mini Track 490lm 927 MB White	White	6.5	490	75	2700	40	72,000	191	77	42
0006157	Pixo Mini Track 490lm 927 MB Black	Black	6.5	490	75	2700	40	72,000	191	77	42
0006158	Pixo Mini Track 520lm 930 MB White	White	6.5	520	80	3000	40	72,000	191	77	42
0006159	Pixo Mini Track 520lm 930 MB Black	Black	6.5	520	80	3000	40	72,000	191	77	42
0006160	Pixo Mini Track 560lm 940 MB White	White	6.5	560	86	4000	40	72,000	191	77	42
0006161	Pixo Mini Track 560lm 940 MB Black	Black	6.5	560	86	4000	40	72,000	191	77	42
Surface mounted Spot											
0006162	Pixo Mini Surface 490lm 927 MB White	White	6.5	490	75	2700	40	72,000	60	175	60
0006163	Pixo Mini Surface 490lm 927 MB Black	Black	6.5	490	75	2700	40	72,000	60	175	60
0006164	Pixo Mini Surface 520lm 930 MB White	White	6.5	520	80	3000	40	72,000	60	175	60
0006165	Pixo Mini Surface 520lm 930 MB Black	Black	6.5	520	80	3000	40	72,000	60	175	60
0006166	Pixo Mini Surface 560lm 940 MB White	White	6.5	560	86	4000	40	72,000	60	175	60
0006167	Pixo Mini Surface 560lm 940 MB Black	Black	6.5	560	86	4000	40	72,000	60	175	60
Pendant											
0006185	Pixo Mini Pendant 490lm 927 MB White	White	6.5	490	75	2700	40	72,000	60	1390	60
0006186	Pixo Mini Pendant 490lm 927 MB Black	Black	6.5	490	75	2700	40	72,000	60	1390	60
0006187	Pixo Mini Pendant 520lm 930 MB White	White	6.5	520	80	3000	40	72,000	60	1390	60
0006188	Pixo Mini Pendant 520lm 930 MB Black	Black	6.5	520	80	3000	40	72,000	60	1390	60
0006189	Pixo Mini Pendant 560lm 940 MB White	White	6.5	560	86	4000	40	72,000	60	1390	60
0006190	Pixo Mini Pendant 560lm 940 MB Black	Black	6.5	560	86	4000	40	72,000	60	1390	60

Code	Description	Housing Colour	Total power consumption (W)	Fixture lumen (lm)	Luminaire efficacy lm/W	Correlated Colour Temperature (K)	Nominal Beam Angle (°)	Lifespan (hours)	Nominal Product Height (mm)	Nominal Product Length (mm)	Nominal Product Width (mm)
Pixo Mini - Made to order items*											
Recessed Spot											
0006168	Pixo Mini Recessed 490lm 927 MB White	White	6.5	490	75	2700	40	72,000	65	163	65
0006169	Pixo Mini Recessed 490lm 927 MB Black	Black	6.5	490	75	2700	40	72,000	65	163	65
0006170	Pixo Mini Recessed 520lm 930 MB White	White	6.5	520	80	3000	40	72,000	65	163	65
0006171	Pixo Mini Recessed 520lm 930 MB Black	Black	6.5	520	80	3000	40	72,000	65	163	65
0006172	Pixo Mini Recessed 560lm 940 MB White	White	6.5	560	86	4000	40	72,000	65	163	65
0006173	Pixo Mini Recessed 560lm 940 MB Black	Black	6.5	560	86	4000	40	72,000	65	163	65
Retractable downlight											
0006174	Pixo Mini Retractable 490lm 927 MB White/White	White	6.5	490	75	2700	40	72,000	85	105	85
0006175	Pixo Mini Retractable 490lm 927 MB Black/Black	Black	6.5	490	75	2700	40	72,000	85	105	85
0006176	Pixo Mini Retractable 490lm 927 MB White/Black	White	6.5	490	75	2700	40	72,000	85	105	85
0006177	Pixo Mini Retractable 520lm 930 MB White/White	White	6.5	520	80	3000	40	72,000	85	105	85
0006178	Pixo Mini Retractable 520lm 930 MB Black/Black	Black	6.5	520	80	3000	40	72,000	85	105	85
0006179	Pixo Mini Retractable 520lm 930 MB White/Black	White	6.5	520	80	3000	40	72,000	85	105	85
0006180	Pixo Mini Retractable 560lm 940 MB White/White	White	6.5	560	86	4000	40	72,000	85	105	85
0006181	Pixo Mini Retractable 560lm 940 MB Black/Black	Black	6.5	560	86	4000	40	72,000	85	105	85
0006182	Pixo Mini Retractable 560lm 940 MB White/Black	White	6.5	560	86	4000	40	72,000	85	105	85

* Please contact your local Sylvania office for more information on conditions and availability.

Pixo Mini



Additional Images



Tracklight



Surface mounted Spot




Recessed Spot




Retractable downlight



Pendant





Photometric data





0006162




0006164




0006166




Dimension (mm)




Tracklight




Surface mounted



Recessed



Retractable downlight



Pendant

SYLVANIA



CE UK
CA



Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, specifications and performance data are constantly changing. Current details should therefore be checked with Feilo Sylvania International Group Kft. Copyright Feilo Sylvania International Group Kft. March 2021

sylvania-lighting.com

A Feilo Sylvania Company