

Beacon 50W Low Voltage - Dichroic 50W QR-CBC51 Single Circuit White 2041897



Product features


- 50W QR-CBC51 Single Circuit White




PRODUCT OVERVIEW

Product name	50W QR-CBC51 Single Circuit White
Technology	Halogen
Housing	Aluminium
Mount	Track mounting
Environment	Interior
General application	Hospitality, Museums & Galleries, Retail
ETIM Class	EC001744
E-number SE	7416263
E-number Norway	3223671
Warranty	2 years
Beam Angle (°)	10
Electrical protection	Class I
Control gear mounting	Integral
Housing colour	White
IP rating	IP20
Product EAN number	5025768418978


PHOTOMETRY




Beacon 50W Low Voltage - Dichroic 50W QR-CBC51 Single Circuit White 2041897



Distance [m]	Cone diameter [m]	E _{50°} [lx]	E _{10°} [lx]
0.5	0.07	4226	3426
1.0	0.15	2064	1713
1.5	0.22	1382	1139
2.0	0.29	930	753
2.5	0.37	630	511
3.0	0.44	430	352



Distance [m]	Cone diameter [m]	E _{50°} [lx]	E _{10°} [lx]
0.5	0.30	8812	3812
1.0	0.61	2233	969
1.5	0.91	1019	437
2.0	1.22	581	242
2.5	1.52	392	165
3.0	1.82	285	120




h (m)	E _{max} (lx)
1.0	9549
2.0	2387
3.0	1061
4.0	597
5.0	382
6.0	265


50W 10° Spot

h (m)	E _{max} (lx)
1.0	1922
2.0	481
3.0	214
4.0	120
5.0	77
6.0	53


38°



10°



Beacon 50W Low Voltage - Dichroic 50W QR-CBC51 Single Circuit White 2041897



TECHNICAL DRAWINGS

