



## Contemporary yet Functional

### START Surface Wall IP54

START Surface Wall family is a range of exterior wall mounted luminaires for facade lighting. The range is available in either round or decorative square integrated LED or alternatively as a round GU10 housing which goes perfectly with our RefLED Retro LED range of lamps.

START Surface Wall Housing Round is sold without the lamp giving you flexibility to

choose the beam angle, lumen output, colour temperature and specification of your choosing.

The START Surface Wall integrated LED range includes a Neutral White and Warm White colour temperature option and offers up to 465 lumens with an efficacy of 66lm/W.



# START Surface Wall IP54



## Features

- Contemporary yet functional range of exterior luminaires
- Perfect for facade lighting
- Robust design meets IK07 requirements
- Available as a GU10 lamp housing or integrated LED option
- Housing version is ideal for our wide range of RefLED Superia Retro ES50 LED lamps
- High efficient thermal design: ta -20 to +40°C (-20 to +45°C for the housing version)
- High performance: delivers up to 465lm (luminaire lumen output), and up to 66lm/W (total system efficacy)
- Available in Warm White (3000K) and Neutral White (4000K)
- Lifetime: 50,000 hours

## Product information

Code	Description	Driver	Body colour	Colour name	Colour Temperature (K)	Voltage (V)	Total Power Consumption (W)	Lumen output (lm)	Efficacy (lm/W)	Lifetime (Hour)
<b>START Surface Wall</b>										
<b>Square</b>										
0047056	START Surface Wall Square Deco IP54 380lm 830 BLK	Electronic	RAL9005	Warm White	3000	220-240	8	430	54	50,000
0047057	START Surface Wall Square Deco IP54 380lm 840 BLK	Electronic	RAL9005	Neutral White	4000	220-240	8	430	54	50,000
<b>Round - Direct</b>										
0047058	START Surface Wall Round IP54 450lm 830 BLK	Electronic	RAL9005	Warm White	3000	220-240	7	465	66	50,000
0047059	START Surface Wall Round IP54 450lm 840 BLK	Electronic	RAL9005	Neutral White	4000	220-240	7	465	66	50,000
<b>START Surface Wall Housing Round</b>										
0047060	START Surface Wall Housing Round IP54 BLK	-	RAL9005	-	-	220-240	-	-	-	-

## Additional Images



START Surface Wall Square Deco




START Surface Wall Round





START Surface Wall Housing Round



## Photometric Data



START Surface Wall Round - Direct




START Surface Wall Square Deco


# START Surface Wall IP54




## Dimensions (mm)



START Surface Wall Square Deco



START Surface Wall Round



START Surface Wall Housing Round



# SYLVANIA



CE UK  
CA



Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, specifications and performance data are constantly changing. Current details should therefore be checked with Feilo Sylvania International Group Kft.

Copyright Feilo Sylvania International Group Kft. March 2021

[sylvania-lighting.com](http://sylvania-lighting.com)

A Feilo Sylvania Company