

## Lynx Q Lynx Q 28W GR8 835 0024995

Image not found.



### PRODUCT OVERVIEW

Product name	Lynx Q 28W GR8 835
Technology	Compact Fluorescent
Watt (Rated) (W)	28
Lamp shape	Other
Type	Lynx Q
Lamp finish	Frosted/Coated
General application	Education, Hospitality, Logistics & Industry, Museums & Galleries, Office, Retail, Residential & Consumer
ETIM Class	EC000087
E-number FI	4940125
Luminous flux (lm)	2050
Colour temperature (K)	3500
Light colour	White
CRI (Ra)	82
Wattage (W)	28
Product Voltage (V)	108
Dimmable	No
Average life (Nominal) (h)	10000
Product EAN number	5410288249957

### DATA TABLE

#### General data

Product name	Lynx Q 28W GR8 835
Technology	Compact Fluorescent
Watt (Rated) (W)	28
Lamp shape	Other
Type	Lynx Q
Lamp finish	Frosted/Coated
General application	Education, Hospitality, Logistics & Industry, Museums & Galleries, Office, Retail, Residential & Consumer
ETIM Class	EC000087
E-number FI	4940125

## Lynx Q

Lynx Q 28W GR8 835

0024995

### Optical data

Luminous flux (lm)	2050
Luminous flux (Rated) (lm)	2050
Ambient temperature for maximum luminous flux (°C)	25
Colour temperature (K)	3500
Light colour	White
Colour Code	835
CRI (Ra)	82
Adjustable chromaticity	N
Rated lumen maint. factor (%) at 4000 h 50Hz	78
Rated lumen maint. factor (%) at 6000 h 50Hz	76
Rated lumen maint. factor (%) at 8000 h 50Hz	75

### Electrical data

Wattage (W)	28
Starting time (max) (s)	<10s
Warm-up time to 60% of full light (max) (s)	60
Current (A)	0.32
Product Voltage (V)	108
Control gear required	Yes
Transformer required	Yes
Dimmable	No
Lamp Energy Label (class)	G
kWh per 1000 hours burning time	34

### Lifetime data

Average life (Nominal) (h)	10000
Average life (Rated) (h)	10000
Rated survival factor (%) at 2000 h 50Hz	98
Rated survival factor (%) at 4000 h 50Hz	90
Rated survival factor (%) at 6000 h 50Hz	75
Rated survival factor (%) at 8000 h 50Hz	50

### Physical data

Weight (kg)	0.125
-------------	-------

### Packaging

Single packaging type	Carton
Product EAN number	5410288249957
Packaging single length / height (cm)	20.3
Packaging single width (cm)	2.8
Packaging single depth (cm)	20.0
DUN14 (outer)	15410288249954
Units per outer package	10
Packaging outer length / height (cm)	39.7

## Lynx Q

*Lynx Q 28W GR8 835*

0024995

Packaging outer width (cm)	25.1
Packaging outer depth (cm)	23.8

### Safety data

Lamp mercury content (mg)	2.50
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	Yes
Suitable for accent lighting	N/A