



## Decorative bollard sleek design



### **START** eco Bollard Rectangular IP65

START eco Bollard Rectangular IP65 is ideal for landscape lighting such as gardens, parks and pathways. The range is available in 0.5m and 0.8m with a robust IK10 rating. The START eco Bollard Rectangular IP65 has been designed with the same look and feel as START eco Outdoor (Velite), creating a full complimentary range perfect for outdoor applications.

# START eco Bollard Rectangular IP65



## Features


- Decorative bollard with a sleek modern design
- Extension to the Start eco Outdoor (Velite) range with same look and feel
- Perfect for landscape lighting such as gardens, parks & pathways
- Robust design meets IK10 requirements
- Available in 2 heights: 500mm & 800mm
- Robust mounting system using a mounting bracket and 2\* M10 extension screws
- High efficient thermal design: ta -10 to +50°C
- High performance: delivers up to 780lm (luminaire lumen output), and up to 60lm/W (total system efficiency)
- Body Colour (RAL9005)
- Available in Warm White (3000K)
- Lifetime of 30,000 hours

## Product information


Code	Description	Driver	Body Colour	Height (m)	Colour Name	Colour Temperature (K)	Voltage (V)	Drive Current (mA)	System Power Consumption (W)	Lumen Output (lm)	Efficacy (lm/W)	Lifetime (Hours)	Weight (kg)
<b>START eco Bollard Rectangular IP65</b>													
0047930	START eco Bollard Rectangular M IP65 780lm 830 BLK	Electronic	RAL9005	0.5	Warm White	3000	220-240	300	13	780	60	30,000	3
0047931	START eco Bollard Rectangular L IP65 780lm 830 BLK	Electronic	RAL9005	0.8	Warm White	3000	220-240	300	13	780	60	30,000	4.5

Legend: 830 = 80 CRI & 3,000K CCT; BLK = Black; M = Medium; L = Large

## Photometric Data



START eco Bollard Rectangular M IP65 750lm 830 BLK




START eco Bollard Rectangular L IP65 750lm 830 BLK


## Additional Images



START eco Bollard Rectangular IP65 Top



0047930 START eco Bollard Rectangular IP65 Side



0047931 START eco Bollard Rectangular IP65 Side

## Dimensions (mm)

