

Product features

• HSX Syl-Line LED, Neutral White, DALI dimmable, 1720mm, Emergency, Wide Beam



























PRODUCT OVERVIEW

Product name	HSXSYL LED NW DALI 1720 EM WB
Technology	LED
Cap/Base	N/A
Housing	Steel
Mount	Ceiling surface mounting, Suspended
Environment	Internal
General application	Logistics & Industry, Retail
ETIM Class	EC002892
Warranty	5 years
Fixture luminous flux (lm)	6660
Luminaire efficacy (lm/W)	88
LOR (%)	100
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	80
Colour Consistency (SDCM)	3
Glare control	< 19
Total power consumption (W)	75
Electrical protection	Class I
Control gear type	Electronic ballast
Dimmable	Yes
Minimum dimming level (%)	99
Housing colour	White
IP rating	IP20
IK rating	IK02
Product EAN number	5410288422893
Luminous flux (emergency) (lm)	972



DATA TABLE


· · · · · · · · · · · · · · · · · · ·	
General data	
Product name	HSXSYL LED NW DALI 1720 EM WB
Technology	LED
Cap/Base	N/A
Housing	Steel
Mount	Ceiling surface mounting, Suspended
Environment	Internal
General application	Logistics & Industry, Retail
Operating temperature range (°C)	-10°C - 25°C
ETIM Class	EC002892
Warranty	5 years
0 % 1.1.	
Optical data	
Fixture luminous flux (lm)	6660
Luminaire efficacy (lm/W)	88
LOR (%)	100
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	80
Colour Consistency (SDCM)	3
Adjustable chromaticity	N
Glare control	< 19
Emergency duration (h)	3.0
Electrical data	
Total power consumption (W)	75
Mains voltage (V)	220-240V~
Electrical protection	Class I
Control gear type	Electronic ballast
Transformer required	Yes
Dimmable	Yes
Minimum dimming level (%)	99
Drive current (mA)	350
Glow Wire Test (°C)	650
Nominal Frequency (Hz)	50/60Hz
Physical data	
	\A/L:_
Housing colour	White
IP rating IK rating	IP20 IK02
Diffuser finish	Matt/satinized
Nominal Product Length (mm)	1720
Nominal Product Length (mm)	164
Nominal Product Width (mm) Nominal Product Height (mm)	132
Weight (kg)	6.5
Troigit (ng)	0.0





Pac	/20	una
гaι.	กสม	


Single packaging type	Carton
Product EAN number	5410288422893
Packaging single length / height (cm)	180.0
Packaging single width (cm)	17.0
Packaging single depth (cm)	15.0
DUN14 (outer)	05410288422893
Units per outer package	1
Packaging outer length / height (cm)	180.0
Packaging outer width (cm)	17.0
Packaging outer depth (cm)	15.0
Safety data	
Optimal operating condition (°C)	-10-25

PHOTOMETRY









TECHNICAL DRAWINGS

