


Reptistar T8

F30W/Reptistar UV-B 5% Retail
0000733



Product features

- Provides the necessary UVB radiation for reptile habitats. Daylight colour temperature 6500K. This lamp emits UV-radiation, Avoid exposure.



PRODUCT OVERVIEW

Product name	F30W/Reptistar UV-B 5% Retail
Technology	Fluorescent
Lamp shape	Tubular shape
Type	T8
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	SPG
ETIM Class	EC002962
E-number SE	8356666
E-number Norway	3801011
Luminous flux (lm)	700
Colour temperature (K)	6500
Light colour	UV
Wattage (W)	30.00
Product Voltage (V)	96
Dimmable	Yes
Average life (Nominal) (h)	14000
Product EAN number	5410288007335

DATA TABLE

General data

Product name	F30W/Reptistar UV-B 5% Retail
Technology	Fluorescent
Lamp shape	Tubular shape
Type	T8
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	SPG

Reptistar T8

F30W/Reptistar UV-B 5% Retail

0000733

Operating temperature range (°C)	-15°C - 40°C
ETIM Class	EC002962
E-number SE	8356666
E-number Norway	3801011

Optical data

Luminous flux (lm)	700
Ambient temperature for maximum luminous flux (°C)	25
Colour temperature (K)	6500
Light colour	UV
Adjustable chromaticity	N

Electrical data

Wattage (W)	30.00
Watt (Rated) - High frequency (W)	24.00
Current (A)	0.365
Product Voltage (V)	96
Control gear required	Yes
Transformer required	No
Dimmable	Yes
Drive current (mA)	365

Lifetime data

Average life (Nominal) (h)	14000
----------------------------	-------

Physical data

Nominal Product Length (mm)	900.0
Nominal Product Diameter (mm)	26
Max. Length base to base (mm) - A	894.4
Length base to pin Min-Max (mm) - B	899.3-901.7
Max. Lamp Length (mm) - C/L	908.8
Max. Lamp Diameter (mm) - D	28.0
Weight (kg)	0.123

Packaging

Single packaging type	Carton
Product EAN number	5410288007335
Packaging single length / height (cm)	97.7
Packaging single width (cm)	2.7
Packaging single depth (cm)	2.7
DUN14 (outer)	15410288007332
Units per outer package	10
Packaging outer length / height (cm)	100.8
Packaging outer width (cm)	6.5
Packaging outer depth (cm)	14.7

Safety data

Lamp mercury content (mg)	2.80
---------------------------	------

Reptistar T8

F30W/Reptistar UV-B 5% Retail

0000733

Optimal operating condition (°C)	-15-40
Breakage cleaning instructions	Applicable
Special purpose lamp	Yes
Intended purpose	High UV Content (>2mW/klm)(Terrarium High UV lamps)
Suitable for household illumination	No
Safety message	Not suitable for household

TECHNICAL DRAWINGS

