## SYLVANIA



# Make a statement



ToLEDo™ Radiance

Sylvania redefines the way LED lamps look and function with the new and innovative ToLEDo™ Radiance range.

ToLEDo™ Radiance is a bright new product merging the boundaries between lamp and luminaire. It offers an imaginative retrofit solution to change the look and feel of a room, making it look much more stylish and unique than conventional LED retrofit solutions.

### ToLEDo™ Radiance









ToLEDo™ Radiance ticks all the boxes for fluid design, diffused lighting and good efficiency, making it an ideal choice for residential and hospitality applications, and also for the work place.

The retrofit functionality means, it is easy to install and requires no extra installation cost. It is ideal for kitchens, living rooms, bedrooms, hotels, restaurants, bars, meeting rooms, reception areas, cabins and small offices.

The dimming functionality helps to adapt the brightness to different needs and applications.

ToLEDo™ Radiance is available in white and black finish and in two variants: 142mm diameter and 190mm diameters. Both versions are available in 2700K and 4000K.


#### **Features**

- Stylish and innovative solution
- Fluid design easily blend with the ambience and change the look and feel of the room
- Uniform light distribution with an element of direct/indirect lighting
- Dimmable functionality to set the desired light level
- Low glare suitable for low height installation
- Construction: white or black housing, textured circular reflector and matt diffuser ring
- E27 lamp base, easy-to-install
- 25,000 hours average rated life
- More than 50,000X switching cycles
- 3 years warranty
- Environment-friendly no mercury and lower CO2 emissions
- High lumen efficacy up to 101 lm/W
- CRI 80


#### **Product information**

Code	Description	Voltage (V)	Power (W)	Luminou Flux (Im)	s Efficienc (lm/W)	y Colour Temp (K)	Power Factor	Base	Finish	Average Life (h)	Dimmable	Energy class	Diameter (mm)	Height (mm)
ToLEDo™ Radiance														
White hou	sing													
0029001	ToLEDo™ Radiance WH DIM 806LM 827 E27 SL	220-240	8	806	101	2700	0.90	E27	White	25,000	Yes	A+	142	118
0029002	ToLEDo™ Radiance WH DIM 806LM 840 E27 SL	220-240	8	806	101	4000	0.90	E27	White	25,000	Yes	A+	142	118
0029003	ToLEDo™ Radiance WH DIM 1000LM 827 E27 SL	220-240	10.5	1000	95	2700	0.90	E27	White	25,000	Yes	A+	192	118
0029004	ToLEDo™ Radiance WH DIM 1000LM 840 E27 SL	220-240	10.5	1000	95	4000	0.90	E27	White	25,000	Yes	A+	192	118
Black hous	ing													
0029009	ToLEDo™ Radiance BLK DIM 650LM 827 E27 SL	220-240	8	650	81	2700	0.90	E27	Black	25,000	Yes	A+	142	118
0029010	ToLEDo™ Radiance BLK DIM 650LM 840 E27 SL	220-240	8	650	81	4000	0.90	E27	Black	25,000	Yes	A+	142	118
0029011	ToLEDo™ Radiance BLK DIM 850LM 827 E27 SL	220-240	10.5	850	81	2700	0.90	E27	Black	25,000	Yes	A+	192	118
0029012	ToLEDo™ Radiance BLK DIM 850LM 840 E27 SL	220-240	10.5	850	81	4000	0.90	E27	Black	25,000	Yes	A+	192	118

#### **Dimensions** (mm)



ToLEDo™ Radiance 650lm and 806lm



ToLEDo™ Radiance 850lm and 1000lm

## ToLEDo™ Radiance range























Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, specifications and performance data are constantly changing. Current details should therefore be checked with Feilo Sylvania Europe Limited.

Copyright Feilo Sylvania Europe Limited December 2017

feilosylvania.com

A Feilo Sylvania Company