


Sylmaster T8 White Louvre - Electronic Ballast

T26 1x58W G13
0055090



Product features

- Sylmaster T8 White Louvre - Electronic Ballast



PRODUCT OVERVIEW

Product name	T26 1x58W G13
Technology	Fluorescent
Cap/Base	G13
Housing	Steel
Mount	Ceiling surface mounting
Environment	Interior
General application	Education, Hospitality, Office, Retail
ETIM Class	EC002892
Warranty	2 years
Fixture luminous flux (lm)	3250
Luminaire efficacy (lm/W)	59
LOR (%)	65
Light colour	N/A
Total power consumption (W)	55
Electrical protection	Class I
Control gear type	Electronic ballast
Control gear mounting	Integral
Dimmable	No
Housing colour	White
IP rating	IP20
IK rating	IK02
Product EAN number	5410288550909
Light source included	N/A - Not Applicable


PHOTOMETRY

Sylmaster T8 White Louvre - Electronic Ballast T26 1x58W G13 0055090

Distance [m]	Cone diameter [m]	Beam angle [°]	Beam diameter [m]	Beam area [m²]	Beam volume [m³]	Beam length [m]	Beam height [m]	Beam width [m]	Beam depth [m]	Beam thickness [m]	Beam weight [kg]
0.5	0.91	1.64	0.91	0.81	0.41	0.91	0.91	0.91	0.91	0.91	0.91
1.0	1.81	3.28	1.81	3.28	1.64	1.81	1.81	1.81	1.81	1.81	1.81
1.5	2.72	5.53	2.72	5.53	2.51	2.72	2.72	2.72	2.72	2.72	2.72
2.0	3.63	7.37	3.63	7.37	3.38	3.63	3.63	3.63	3.63	3.63	3.63
2.5	4.54	9.21	4.54	9.21	4.25	4.54	4.54	4.54	4.54	4.54	4.54
3.0	5.44	11.05	5.44	11.05	5.12	5.44	5.44	5.44	5.44	5.44	5.44

Distance [m] Cone diameter [m] Beam angle [°] Beam diameter [m] Beam area [m²] Beam volume [m³] Beam length [m] Beam height [m] Beam width [m] Beam depth [m] Beam thickness [m] Beam weight [kg]

— C0 - C180 (Half beam angle: 123.4°)
— C90 - C270 (Half beam angle: 84.4°)



TECHNICAL DRAWINGS

Dimensions (mm)	Unit	Value
Lamp	L	1100
1x58W	W	58
1x58W	H	1100
1x58W	D	5.5
1x58W	W	5.5
1x58W	H	1100
1x58W	D	5.5
1x58W	W	5.5
1x58W	H	1100
1x58W	D	5.5
1x58W	W	5.5

