

SHP-T Basic Plus

Shp-T 400w Basic Plus E40
0020849



PRODUCT OVERVIEW

Product name	Shp-T 400w Basic Plus E40
Technology	HID
Watt (Rated) (W)	400.00
Lamp shape	Tubular shape
Type	SHP-T
Cap/Base	E40
Lamp finish	Clear
Fixture rating	Open
General application	Logistics & Industry
ETIM Class	EC000821
E-number FI	4844466
Luminous flux (lm)	55000
Colour temperature (K)	2000
CRI (Ra)	20
Colour Variation Initial (SDCM)	N/A
Photobiological Risk Group	Not applicable
Wattage (W)	400.00
Product Voltage (V)	100
Dimmable	No
Average life (Nominal) (h)	32000
Product EAN number	5410288208497

DATA TABLE

General data

Product name	Shp-T 400w Basic Plus E40
Technology	HID
Watt (Rated) (W)	400.00
Lamp shape	Tubular shape
Type	SHP-T
Cap/Base	E40
Lamp finish	Clear
Fixture rating	Open
General application	Logistics & Industry
ETIM Class	EC000821
E-number FI	4844466

SHP-T Basic Plus

Shp-T 400w Basic Plus E40
0020849

Optical data

Luminous flux (lm)	55000
Luminous flux (Rated) (lm)	55000
Ambient temperature for maximum luminous flux (°C)	25
Colour temperature (K)	2000
CRI (Ra)	20
Colour Variation Initial (SDCM)	N/A
Adjustable chromaticity	N
Photobiological Risk Group	Not applicable
Rated lumen maint. factor (%) at 4000 h 50Hz	96
Rated lumen maint. factor (%) at 6000 h 50Hz	95
Rated lumen maint. factor (%) at 8000 h 50Hz	93
Rated lumen maint. factor (%) at 12000 h 50Hz	90
Rated lumen maint. factor (%) at 16000 h 50Hz	88
Rated lumen maint. factor (%) at 20000 h 50Hz	86

Electrical data

Wattage (W)	400.00
Current (A)	4.6
Product Voltage (V)	100
Control gear required	Yes
Transformer required	No
Dimmable	No
Lamp Energy Label (class)	E
kWh per 1000 hours burning time	440

Lifetime data

Average life (Nominal) (h)	32000
Average life (Rated) (h)	32000
Life T90	16000
Rated survival factor (%) at 2000 h 50Hz	100
Rated survival factor (%) at 4000 h 50Hz	99
Rated survival factor (%) at 6000 h 50Hz	98
Rated survival factor (%) at 8000 h 50Hz	97
Rated survival factor (%) at 12000 h 50Hz	93
Rated survival factor (%) at 16000 h 50Hz	90
Rated survival factor (%) at 20000 h 50Hz	86

Physical data

Nominal Product Length (mm)	280
-----------------------------	-----

SHP-T Basic Plus

Shp-T 400w Basic Plus E40
0020849

Nominal Product Diameter (mm)	46
Max. Lamp Diameter (mm) - D	47
Weight (kg)	0.155


Packaging

Single packaging type	Carton
Product EAN number	5410288208497
Packaging single length / height (cm)	32.56
Packaging single width (cm)	5.02
Packaging single depth (cm)	5.02
DUN14 (outer)	15410288208494
Units per outer package	12
Packaging outer length / height (cm)	34.1
Packaging outer width (cm)	16.3
Packaging outer depth (cm)	21.6


Safety data

Lamp mercury content (mg)	16.00
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	No
Suitable for household illumination	Yes

PHOTOMETRY



TECHNICAL DRAWINGS




SHP-T Basic Plus
Shp-T 400w Basic Plus E40
0020849



SYLVANIA

0020849



400
kWh/1000h




2019/2015

SYLVANIA

SHP-T Basic Plus
Shp-T 400w Basic Plus E40
0020849



0020849



400
kWh/1000h



2019/2015