

## Sterling Bulkhead - LED

*Sterling Bulkhead 4000K Emergency Black*  
4054993



### PRODUCT OVERVIEW

Product name	Sterling Bulkhead 4000K Emergency Black
Technology	LED
Housing	Aluminium
Mount	Wall surface mounted
Environment	Exterior Interior
General application	Education, Hospitality, Logistics & Industry, Office
ETIM Class	EC002892
Colour temperature (K)	4000
Electrical protection	Class I
Control gear mounting	Integral
Housing colour	Black
IP rating	IP55
IK rating	IK09
Product EAN number	5026524549936

### DATA TABLE

#### General data

Product name	Sterling Bulkhead 4000K Emergency Black
Technology	LED
Housing	Aluminium
Mount	Wall surface mounted
Environment	Exterior Interior
General application	Education, Hospitality, Logistics & Industry, Office
ETIM Class	EC002892

#### Optical data

Colour temperature (K)	4000
Correlated colour temperature range (K)	4000 - 4000
Adjustable chromaticity	N
Distribution type	Symmetric
Emergency duration (h)	3

## Sterling Bulkhead - LED

*Sterling Bulkhead 4000K Emergency Black*  
4054993

### Electrical data

Mains voltage (V)	230V~
Electrical protection	Class I
Control gear mounting	Integral
Transformer required	Yes
Drive current (mA)	350



### Physical data

Housing colour	Black
IP rating	IP55
IK rating	IK09
Diffuser finish	Opal
Diffuser material	PC Polycarbonate
Reflector finish	White
Nominal Product Height (mm)	128
Max. Lamp Diameter (mm) - D	350
Weight (kg)	3.6

### Packaging



Single packaging type	Carton
Product EAN number	5026524549936
Packaging single length / height (cm)	36.0
Packaging single width (cm)	36.0
Packaging single depth (cm)	13.5
DUN14 (outer)	05026524549936
Units per outer package	1
Packaging outer length / height (cm)	36.0
Packaging outer width (cm)	36.0
Packaging outer depth (cm)	13.5

## PHOTOMETRY



## Sterling Bulkhead - LED

*Sterling Bulkhead 4000K Emergency Black*  
4054993



### TECHNICAL DRAWINGS

